

Walk through metal detector: JC 1833 plus



Manufacturers and Distributors of
Physical Access Control Equipment
and Biometric Systems





Excellence through security engineering

Walk Through Metal Detector: JC 1833 Plus

JC1833Plus walk through metal detector with high sensitivity for accurate detection of non-ferrous and ferrous metals in various places, including firearms, knife, bomb, small metal needle, chip and so on. It is harmless for pregnant woman and heart pacemaker. It complies with standards: EN60950, WN50081-1, EN50082-1, passed CE, FCC certificates.

Product characteristic:

- 6/11/ 33 zones settings freely, multi-zone detection alarm separately; waterproof IP66.
- 7-inch LCD display with function keys, including On/off, enter, up, down and Esc press key.
- Sensitivity adjustable, overall, 0- 300 level, each zone also 0-300 level sensitivity adjustable.
- Support various language interface customisation detected speed more than 60 people in 1 minute.
- LED alarm bars built in front of door panels that is for accurate detection and alarm display.
- Automatically count passengers and alarm times.
- Self-diagnostic procedures and calibration.
- DSP digital technology, 30 working spots program.
- Modular structure is easy to deal with after sales service. Portico gate is easy to install and transport.
- Available 100 operate frequency, 100 unite gates working side by side. Auto scan working environment.
- Tamper-proof, operating program is protected by password.
- Good performance in anti-interference ability, the gate automatically avoids the electric interference, the gate made in ABS and rubber material.
- Sound and light alarm, 9 kinds of alarm sounds, volume adjustable.
- Network working, remote controlled by mobile (optional)
- MBSU battery backup, in time power transfer (optional)

Contact us:

021 556 3866 - Cape Town

011 975 6400 – Johannesburg

031 942 3437 – Durban

Email:

info@imat.co.za

Website:

www.imat.co.za

Technical Specifications:

Electric current:	AC 185- 240V
Working temperature:	-20°C tot 50°C
Power consumption:	Max 15W
Outer frame size:	2200mm x 820mm x 580mm
Inner frame size:	2010mm x 760mm x 500mm
Gross weight:	60KG

Application:



Airport



Government office



Bank



Exhibition centre



Hotel



National prison



Shopping mall



Train station



Hospitaal

Contact us:

021 556 3866 - Cape Town

011 975 6400 – Johannesburg

031 942 3437 – Durban

Email:

info@imat.co.za

Website:

www.imat.co.za